


Application of NASA SPoRT-Land Information System (SPoRT-LIS) Soil Moisture Data for Drought

Part 3: Access Data at Organization and Individual Levels

Sean McCartney (NASA/SSAI), Jonathan Case (ENSCO, Inc/NASA SPoRT), Matthew Smith (UAH/NASA SPoRT), Ryan Wade (UAH/ NASA SPoRT), Chris Hain (NASA SPoRT)

May 31, 2023






Overview


Overview

- An estimated 55 million people globally are affected by droughts every year ([WHO](#)).
- Soil moisture plays an important role in drought monitoring.
- Relatively high-resolution gridded soil moisture products improve situational awareness.
- SPoRT-LIS provides unique, real-time soil moisture information at relatively high spatial resolution (~3 km).



Legend

0-100 cm Soil Moisture Percentile



Credit: [NASA](#)



Training Learning Objectives

A user will be able to apply LIS output to efficiently analyze drought over large spatial areas in conjunction with current practices and to integrate this capability with existing data.

- Identify the NASA/LIS basics regarding the framework, input forcing, static fields, LSM structure, and output most relevant to drought
- Summarize the derived soil moisture percentile products and how these are created
- Apply SPoRT-LIS output and/or derived products to both complement existing data and overcome limitations to monitoring drought over large areas
- Recognize ‘best practices’ for LIS impact related to drought
- Configure LIS output file for viewing within a GIS-based display tool and for tailored output products and graphics



Prerequisites

- [Fundamentals of Remote Sensing](#), Session 1
- Download and install [QGIS](#) and all accompanying software
- Register for a Google Colab via Gmail or Gmail-enabled account
- Basic Python experience beneficial but not required



Training Outline

Part 1

Foundational Understanding of LIS (Static, Forcing, Models, Output)

May 17, 2023

Self-paced Microlesson

Part 2

Early and Established Applications of LIS for Drought Analysis in Operations

May 24, 2023

Self-paced Microlesson

Part 3

Access Data at Organization and Individual Levels

May 31, 2023


Self-paced Microlesson

Homework

Opens May 31 – Due June 14 – Posted on Training Webpage

A certificate of completion will be awarded to those who attend all live sessions and complete the homework assignment before the given due date.





Part 3: Access Data at Organization and Individual Levels

Part 3 Trainers

Jonathan Case

Research
Meteorologist,
NASA SPoRT



Matthew Smith

Research Scientist,
NASA SPoRT



Ryan Wade

Research Scientist,
NASA SPoRT



Chris Hain

Project Lead,
NASA SPoRT



Part 3 Objectives

By the end of Part 3, participants will be able to:


- Access SPoRT-LIS CONUS and East Africa Output via SPoRT Web Viewer
- Acquire and Display SPoRT-LIS CONUS GEOTIFF via QGIS
- Read and display outputs for SPoRT-LIS tailored to user needs and custom domains using Google Colab/Jupyter



How to Ask Questions

- Please put your questions in the Questions box and we will address them at the end of the webinar.
- Feel free to enter your questions as we go. We will try to get to all of the questions during the Q&A session after the webinar.
- The remainder of the questions will be answered in the Q&A document, which will be posted to the training website about a week after the training.






DEMO: Display of SPoRT-LIS CONUS Output via SPoRT Web Viewer

Jonathan Case (ENSCO, Inc/NASA SPoRT)

May 31, 2023



Viewing Near-Real Time SPoRT-LIS CONUS Files

Matt Smith – University of Alabama in Huntsville, Information Technology and Systems Center – NASA SPoRT

May 31, 2023




Viewing Near-Real Time SPoRT-LIS CONUS Files

- Where can I get LIS data files?
- How can I explore LIS GeoTIFF files on my own?



Viewing Near-Real Time SPoRT-LIS CONUS Files

- Imagery available at the [NASA SPoRT Website](https://weather.ndc.nasa.gov/sport)
 - <https://weather.ndc.nasa.gov/sport>



The screenshot shows the NASA SPoRT website homepage. At the top is a dark blue navigation bar with the SPoRT logo on the left and menu items: Home, Data & Products, Training & Assessments, Stakeholder Engagement, Library, About, and News. Below the navigation bar is a white header section with the text "NASA SPoRT" and "Short-term Prediction Research and Transition". A dark blue rounded rectangle contains a paragraph of text about the center's mission and a link for "About SPoRT". Below this is a section titled "SPoRT Research Focus Areas" with three small images: a smokestack emitting a plume of white smoke, a tropical coastal scene with palm trees and a road, and a close-up of green corn plants in a field.

Note: This is NASA SPoRT's server for various datasets made available for public use. The URL may change – so, if you have trouble finding it, go to the main SPoRT site <https://weather.nsstc.nasa.gov/sport> and, within the **Data & Products** tab, select the **Data Access** link.



Viewing Near-Real Time SPoRT-LIS CONUS Files




- **NASA SPoRT File Server:**
 - <https://geo.nsstc.nasa.gov/SPoRT/modeling/lis>
- **GRIB2 for AWIPS:**
 - <https://geo.ndc.nasa.gov/SPoRT/modeling/lis/conus3km/awips>
 - Variables: Specifically selected for AWIPS
 - Instructions available (email msfc-dl-sport-support@mail.nasa.gov)
 - Purged after 1 week

Note: This is NASA SPoRT's server for various datasets made available for public use. The URL may change – so, if you have trouble finding it, go to the main SPoRT site <https://weather.nsstc.nasa.gov/sport> and, within the **Data & Products** tab, select the **Data Access** link.



Viewing Near-Real Time SPoRT-LIS CONUS Files



- NASA SPoRT File Server:

- <https://geo.nsstc.nasa.gov/SPoRT/modeling/lis>


- png & 2 GeoTIFFs ('float' and 'bytescaled')

- <https://geo.ndc.nasa.gov/SPoRT/modeling/lis/conus3km/geotiff>

- Variables

- Green Vegetation Fraction (GVF)
 - Volumetric Soil Moisture (VSM) 0-10cm
 - Relative Soil Moisture (RSM) 0-10cm
 - RSM 0-200cm
 - RSM 0-200cm differences
 - 1-week
 - 2-week
 - Soil Moisture percentiles
 - RSM 0-200cm (County climatology)
 - Cumulative Layered percentiles (Gridpoint climatology)

- Purged after 2 weeks



Note: This is NASA SPoRT's server for various datasets made available for public use. The URL may change – so, if you have trouble finding it, go to the main SPoRT site <https://weather.nsstc.nasa.gov/sport> and, within the **Data & Products** tab, select the **Data Access** link.




Viewing Near-Real Time SPoRT-LIS CONUS Files

- NASA SPoRT File Server:

- <https://geo.nsstc.nasa.gov/SPoRT/modeling/lis>

Soil Moisture Histograms for Select Counties

- Variable: 0-2m Relative Soil Moisture
- Lengths: 30-, 60-, & 90- days
- <https://geo.ndc.nasa.gov/SPoRT/modeling/lis/conus3km/histograms>
- 33 counties in CA, AL, TX, NC, & 7 other states




Note: This is NASA SPoRT's server for various datasets made available for public use. The URL may change – so, if you have trouble finding it, go to the main SPoRT site <https://weather.nsstc.nasa.gov/sport> and, within the **Data & Products** tab, select the **Data Access** link.



Viewing Near-Real Time SPoRT-LIS CONUS Files

- NASA Disasters Mapping Portal:
 - GeoTIFFs: <https://maps.disasters.nasa.gov/arcgis/home>



Note: This is the NASA Disasters server for various datasets made available for public use. It is possible that the URL may change – so, if you have trouble finding it, go to the main NASA Disasters site: <https://appliedsciences.nasa.gov/what-we-do/disasters> and select the **Data & Tools** link, and then select **Disasters**. Finally, select the **Disasters Mapping Portal**.



Viewing Near-Real Time SPoRT-LIS CONUS Files

- How can I explore GeoTIFFs on my own?
 - Write your own software
 - **Python** (Arcpy, GeoPandas, GDAL/OGR, rasterio, georaster, etc.)
 - C++ (GDAL C++)
 - IDL, JavaScript, etc.
 - Google Colab, Google Earth Engine
 - Use a GIS software package
 - Proprietary software (ESRI products, etc.)
 - Open-source software (**QGIS**, MapBox, Google Earth Pro, etc.)

QGIS demonstration with GeoTIFFs from SPoRT, AHPS, & Disasters Mapping Portal REST Service)

Advanced Hydrologic Prediction Service:

<https://water.weather.gov/precip/download.php>



Viewing Near-Real Time SPoRT-LIS CONUS Files




- NASA/GHRC DAAC
 - Global Hydrometeorology Resource Center Distributed Active Archive Center
 - <https://ghrc.nsstc.nasa.gov/home>

SPoRT plans to have all LIS-CONUS data archived at the GHRC DAAC *by the end of CY2023*.

- Raw output data (GRIB)
 - Daily: January 1981 – 2009
 - Twice Daily: 2010 – March 2015
 - Hourly: April 2015 – present
- AWIPS-formatted (GRIB2): April 2015 – present
- Climatology, once daily files (GRIB): 1981 – 2013
- Percentiles (GRIB2): 2000 – present






DEMO: Viewing Near-Real Time SPoRT-LIS CONUS Files

Matt Smith – University of Alabama in Huntsville, Information Technology and Systems Center – NASA SPoRT

May 31, 2023






DEMO: Display and Differencing of SPoRT-LIS within Google Colab/Jupyter

Ryan Wade (UAH/NASA SPoRT)

May 31, 2023





Part 3
Summary

Course Conclusions – Application of SPORT-LIS for Drought

1. The NASA LIS Modeling Suite is used globally by a wide variety of user and research groups for many applications related to land surface processes, streamflow, ground water, and data assimilation, with direct application to drought.
2. The SPoRT configuration of the LIS (SPoRT-LIS) uses the Noah LSM forced by NLDAS-2 for a 1981-2013 climatological period, and GDAS+MRMS precipitation forcing in near real time.
3. SPoRT-LIS is unique in that it incorporates daily satellite-derived GVF for near real-time vegetation coverage and health, as opposed to a monthly static climatological estimate.
4. The SPoRT-LIS output provides soil moisture over the entire contiguous U.S. at 3 km resolution within layered depths to 2 m. The analyses are updated 4x/day in real-time, with hourly output frequency.
5. Soil moisture percentiles product historical context of current soil moisture values relative to the 1981-2013 climatological period.
6. The 0-200 cm relative soil moisture percentiles compared favorably to the U.S. Drought Monitor drought designations where soil moisture deficits strongly correlate with episodes of drought.
7. SPoRT-LIS has experimental forecasts of soil moisture percentiles out to 14 days using the U.S. GFS forecast model as forcing, updated daily in real time.
8. Real-time LIS applications managed by SPoRT are provided in several output data formats for the Continental U.S., Alaska, and the Caribbean, but there are also LIS instances that cover Africa and Southeast Asia for research activities.



SPoRT-LIS Contributors


Many thanks to all of these collaborators and partners over the last 10+ years

- Sujay Kumar and the GSFC LIS Team
 - Collaborations to support the SPoRT-LIS instance over a decade
 - Course presenter
- Kris White (NWS HUN & SPoRT)
 - Promoting SPoRT-LIS both inside NWS and to outside agencies
 - Course presenter and developer
 - Case example contributor
 - Supporting R2O/O2R
- Richard Heim and authors of USDAM
 - Course presenter; example cases
 - User/Promoter of SPoRT-LIS
- Corey Davis (NC Climate Office, Applied Climatologist)
 - Course presenter
 - Contributor of training exercise
 - User/Promoter of SPoRT-LIS
- Barrett Smith (NWS Raleigh WFO, Service Hydrologist)
 - Course presenter
 - Contributor of training exercise
 - User/Promoter of SPoRT-LIS
- Existing Collaborators & Users of SPoRT-LIS
 - Numerous users and agencies that have contributed to research areas



A Look to the Future....


- SPoRT is continually working to improve the SPoRT-LIS modeling system to provide better tools and capabilities to our downstream stakeholders:



SPoRT's "operation-to-research" process takes what we can learn from stakeholders and how they use our data to provide improvements and refinements.

Future SPoRT-LIS development is driven by the community needs and we need your feedback!





NASA SPoRT: <https://weather.ndc.nasa.gov/sport/>

Contact: christopher.hain@nasa.gov

Support: msfc-dl-sport-support@mail.nasa.gov

SPoRT Team

Kevin K. Fuell

Training Lead –
Engagement, Training,
and Assessment –
UAH/MSFC/SPoRT



Elizabeth Junod

Stakeholder
Engagement Specialist
& Communications
Lead –
UAH/MSFC/SPoRT



Robert Junod

Research Scientist –
Alabama Assistant State
Climatologist
/UAH/MSFC/SPoRT



Lori A. Schultz

NASA Disasters
Program
NASA MSFC Remote
Sensing Applications



Amy McCalister

Developer of training lessons for Session 1
Support/QC of training lessons for Session 2

Chris Schultz

Organization/Coordination of course



Homework and Certificates

- **Homework:**
 - One homework assignment
 - Access from the [training webpage](#)
 - Answers must be submitted via Google Forms
 - **Due by 14 June 2023**
- **Certificate of Completion:**
 - Attend all three live webinars (attendance is recorded automatically)
 - Complete the homework assignment by the deadline
 - You will receive a certificate via email approximately two months after completion of the course.



Contact Information

Trainers:

- Sean McCartney
 - sean.mccartney@nasa.gov
- Jonathan Case
 - jonathan.case-1@nasa.gov
- Matthew Smith
 - matthew.r.smith@nasa.gov
- Ryan Wade
 - ryan.a.wade@nasa.gov
- Chris Hain
 - christopher.hain@nasa.gov

<https://weather.ndc.nasa.gov/sport/>

- [ARSET Website](#)
- Follow us on Twitter!
 - [@NASAARSET](#)
- [ARSET YouTube](#)

Visit our Sibling Programs:



[DEVELOP](#)



[SERVIR](#)





Thank You!

